

GraphQL - Queries

activities

Type: [ActivityConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters ActivityFilters	

activity

Type: [Activity!](#)

Arguments

Name	Description
id Int!	

article

Type: [Article!](#)

Arguments

Name	Description
id Int!	

articles

Type: [ArticleConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters ArticlesFiltersInput	

blog

Type: [Blog!](#)

Arguments

Name	Description
id Int!	

blogs

Type: [BlogConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters BlogsFiltersInput	

campaign

Type: [Campaign!](#)

Arguments

Name	Description
------	-------------

id Int!	
----------------------------	--

campaignComment

Type: [CampaignComment!](#)

Arguments

Name	Description
id Int!	

campaignComments

Type: [CampaignCommentConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters CampaignCommentsFilters	

campaigns

Type: [CampaignConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters CampaignFilters	

campaignTags

Type: [StrConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
q String	

checkout

Type: [Checkout!](#)

Arguments

Name	Description
token String!	

checkouts

Type: [CheckoutConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters CheckoutFilters	

checkoutsAbandoned

Type: [CheckoutConnection!](#)

Arguments

Name	Description
------	-------------

pagination PaginationInput	
filters CheckoutFilters	

checkoutsAdminGenerated

Type: [CheckoutConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters CheckoutFilters	

customfieldDefinition

Type: [CustomFieldDefinition!](#)

Arguments

Name	Description
id Int!	

customfieldDefinitions

Type: [\[CustomFieldDefinition!\]!](#)

Arguments

Name	Description
pagination PaginationInput	
filters CustomFieldFilters	

donation

Type: [Donation!](#)

Arguments

Name	Description
id Int!	

donations

Type: [DonationConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters DonationFiltersInput	

donationTags

Type: [StrConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
q String	

manualPaymentMethod

Type: [PaymentMethod!](#)

Arguments

Name	Description
id Int!	

manualPaymentMethods

Type: [\[PaymentMethod!\]!](#)

media

Type: [MediaConnection!](#)

Arguments

Name	Description
pagination PaginationInput	

mediaSingle

Type: [Media!](#)

Arguments

Name	Description
id Int!	

menu

Type: [Menu!](#)

Arguments

Name	Description
id Int!	

menuByHandle

Type: [Menu!](#)

Arguments

Name	Description
handle <code>String!</code>	

menus

Type: [\[Menu!\]!](#)

organization

Type: [Organization!](#)

organizations

Type: [\[Organization!\]!](#)

Arguments

Name	Description
filters <code>OrganizationsFilters</code>	

owner

Type: [Staff!](#)

page

Type: [Page!](#)

Arguments

Name	Description
id Int!	

pages

Type: [PageConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters PagesFiltersInput	

payment

Type: [Payment!](#)

Arguments

Name	Description
id Int!	

paymentMethods

Type: [\[PaymentMethod!\]!](#)

payments

Type: [PaymentConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters PaymentFiltersInput	

peerCampaign

Type: [PeerCampaign!](#)

Arguments

Name	Description
id Int!	

peerCampaigns

Type: [PeerCampaignConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters PeerCampaignFilters	

privacyDefinition

Type: [PrivacyDefinition!](#)

Arguments

Name	Description
id Int!	

privacyDefinitions

Type: [PrivacyDefinitionConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters PrivacyDefinitionFilters	

project

Type: [Project!](#)

Arguments

Name	Description
id Int!	

projects

Type: [ProjectConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters ProjectFilters	

redirect

Type: [Redirect!](#)

Arguments

Name	Description
id Int!	

redirects

Type: [RedirectConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters RedirectsFiltersInput	

segment

Type: [Segment!](#)

Arguments

Name	Description
id Int!	

segments

Type: [SegmentConnection!](#)

Arguments

Name	Description
pagination PaginationInput	
filters SegmentFiltersInput	

stripe

Type: [StripeAccount](#)

stripeCustomerCards

Type: [\[StripeCard!\]!](#)

Arguments

Name	Description
stripeCustomerId String!	

sumupAccount

Type: [SumUpAccount](#)

supporter

Type: [Supporter!](#)

Arguments

Name	Description
id Int!	

supporters

Type: [SupporterConnection!](#)

Arguments

Name	Description
pagination PaginationInput	

Name	Description
filters <code>SupporterFiltersInput</code>	

supporterTags

Type: [StrConnection!](#)

Arguments

Name	Description
pagination <code>PaginationInput</code>	
q <code>String</code>	

terminal

Type: [StripeTerminal!](#)

Arguments

Name	Description
id <code>String!</code>	

terminalLocation

Type: [StripeTerminalLocation!](#)

Arguments

Name	Description
id <code>String!</code>	

terminalLocations

Type: [\[StripeTerminal!\]!](#)

Arguments

Name	Description
filters TerminalLocationFilters	

terminals

Type: [\[StripeTerminal!\]!](#)

terminalsByLocation

Type: [\[StripeTerminal!\]!](#)

Arguments

Name	Description
locationId String!	

Contenuto importato da <https://dev.riseact.org/docs/graphql-references/queries> il 2026-04-23 durante la migrazione iniziale della KB Metadonors. Aggiornare se il sorgente cambia.

Revision #1

Created 2026-04-23 08:47:16 UTC by Daniele Cirio

Updated 2026-04-23 08:47:16 UTC by Daniele Cirio