

Webhook di Organizzazione

I webhook di organizzazione sono webhook che vengono chiamati da Riseact quando si verificano determinati eventi in una organizzazione. Per aggiungere un webhook di organizzazione, devi registrare l'URL del webhook e selezionare gli eventi che vuoi ricevere con la chiamata al relativo endpoint o mutation.

Dettagli richiesta

Di seguito alcuni esempio di richiesta lanciata da Riseact verso il tuo webhook.

Webhooks di sostenitore

```
{
  "organization": "your-org-domain",
  "object": {
    "id": 75835,
    "create_date": "2023-08-17T16:10:45.354192+00:00",
    "update_date": "2023-08-17T16:10:45.367332+00:00",
    "image": "",
    "business_name": null,
    "first_name": "first name",
    "last_name": "last name",
    "supporter_type": "SupporterType.INDIVIDUAL",
    "email": "test@email.com",
    "phone": "phone",
    "mobile": "mobile",
    "sex": "Sex.MALE",
    "date_of_birth": "1970-01-01",
    "place_of_birth": "Place of birth",
    "ssn": "ssn",
    "vat": "vat",
    "address": "address",
    "address2": "secondary address",
    "city": "city",
```

```
"locality": "locality",
"country": "IT",
"postal_code": "code",
"certification_url": null,
"privacy": false,
"email_marketing": false,
"phone_marketing": false,
"sms_marketing": false,
"postal_marketing": false,
"note": "notes",
"tags": [],
"external_ref": null,
"source_campaign": null,
"organization": 33,
"application": 1,
"stripe_customer_id": null
},
"event": "supporter.created"
}
```

■

Webhooks di checkout

```
{
  "organization": "your-org-domain",
  "object": {
    "id": 901,
    "create_date": "2023-08-17T16:15:52.746141+00:00",
    "update_date": "2023-08-17T16:15:52.746165+00:00",
    "state": "OPEN",
    "amount": 10,
    "completed_date": null,
    "donation": null,
    "supporter": 75835,
    "frequency": null,
    "peer_campaign": null
  },
  "event": "checkout.created"
}
```

```
}
```

Webhooks di pagamento

```
{
  "organization": "your-org-domain",
  "object": {
    "id": 230,
    "create_date": "2023-08-17T16:27:04.647182+00:00",
    "update_date": "2023-08-17T16:27:04.647204+00:00",
    "state": "PAID",
    "amount": 10,
    "payment_date": "2023-08-17T16:26:59.889000+00:00",
    "payment_method": "MANUAL",
    "donation": 229,
    "supporter": 75835,
    "frequency": 0,
    "peer_campaign": null
  },
  "event": "payment.created"
}
```

Webhooks di donazione

```
{
  "organization": "your-org-domain",
  "object": {
    "id": 229,
    "create_date": "2023-08-17T16:27:04.542168+00:00",
    "update_date": "2023-08-17T16:27:04.542168+00:00",
    "code": "#1000",
    "state": "pending",
    "amount": 10,
    "frequency": 0,
    "completed_date": null,
  }
}
```

```
"campaign": 29,  
"peer_campaign": null,  
"supporter": 75835,  
"tags": [],  
"payment_method": "MANUAL"  
},  
"event": "donation.created"  
}
```

■

Contenuto importato da <https://dev.riseact.org/docs/partner-apps/organization-webhooks> il 2026-04-23 durante la migrazione iniziale della KB Metadonors. Aggiornare se il sorgente cambia.

Revision #1

Created 2026-04-23 08:47:13 UTC by Daniele Cirio

Updated 2026-04-23 08:47:13 UTC by Daniele Cirio